

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	gateway same ((select\$3 adj4 service\$1) with format\$1) same message\$1	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:20
L3	8	gateway same ((select\$3 adj4 service\$1) with format\$1)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:21
L4	111	gateway and ((select\$3 adj4 service\$1) with format\$1)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:21
L5	19	gateway same ((select\$3 near4 service\$1) with format\$1)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:22
L6	72	gateway same (select\$3 near4 service\$1) same format\$1	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:22
L7	238	gateway same (select\$3 near4 service\$1) same protocol\$1	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:22



gateway "select objects" format message

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results **1 - 10** of about **56** for **gateway "select objects" format message**. (0.10 seconds)
All Results[W Piekarski](#)[A Marcus](#)[Y Khalidi](#)[J Corrielus](#)[P Roewer](#)

[User-friendly Multimodal Services-A MUST for UMTS. Going the Multimodal route: making and evaluating ... - group of 4 »](#)

L Almeida, I Amdal, N Beires, M Boualem, L Boves - Proc. EUESCOM Summit, 2001 - eurescom.de

... The GUI Server is the **gateway** between the GUI ... altered in services where the GUI **format** is dependent of ... modality (pen or mouse) to **select objects** or navigate ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[System and method for remote object invocation - group of 2 »](#)

AG Tucker, M Talluri, D Murphy, YA Khalidi... - US Patent 6,151,639, 2000 - Google Patents

... **Gateway** handler -transiais file descriptors into global xdoor ... formats args into **format** suitable ... auser's accessvia the ORB to **select objects** residing outside ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

[PatentView/EP886212](#)

S Parent, S Changes, G Info - gauss.ffii.org

... a user's access via the ORB to **select objects** residing outside ... The client **gateway** handler 168 converts the global ... reply **message** into a generic **format** and calls ...

[Cached](#) - [Web Search](#)

[Science at the Speed of Thought - group of 4 »](#)

JE Devaney, SG Satterfield, JG Hagedorn - Springer

... participate by performing as a communications **gateway** to the ... outside software packages to a **format** that our ... represent a pointer for the user to **select objects**. ...

[Related Articles](#) - [Web Search](#)

[Tinmith-Metro: New Outdoor Techniques for Creating City Models with an Augmented Reality Wearable ... - group of 12 »](#)

W Piekarski, BH Thomas - 5th Int'l Symposium on Wearable Computers, 2001 - doi.ieeeecs.org

... LightWave and converted into the custom Tinmith file **format**. ... camera view) it is possible to **select objects** that would ... in Figure 6 is based on a **Gateway** Solo P2 ...

[Cited by 53](#) - [Related Articles](#) - [Web Search](#)

[User-Interface Developments for the Nineties - group of 6 »](#)

A Marcus, AA van Dam - ieeeexplore.ieee.org

... the amount of code handling interaction and display of prompts or status **messages** increased steadily ... quenee/syntactic level specifies the in- teraction **format**. ...

[Cited by 44](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for sharing objects and object state between processes - group of 3](#)

»

MR Miller, CP O'Brien, S Boucher, C Tremblay - US Patent 6,301,557, 2001 - Google Patents

... For a representative embodiment, the present invention includes an open enter -prise management **gateway** or OEM **gateway**. ... hierarchies 400, to OEM **gateway** 300. ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[GeoWeb: a Multiframe Web Interface to ObjectStore-based Spatial Data Repositories](#)

G Pogodaev, AB Cremers - geo.informatik.uni-bonn.de

... The Common **Gateway** Interface (CGI) is a well ... the objects in the current project; • **select objects** and browse ... only one document in some MIME-compatible **format**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Display terminal user interface with ability to select remotely stored surface finish for mapping ... - group of 3 »

KJ Fisher - US Patent 6,331,858, 2001 - Google Patents

... 1 a web page which has the **format** illustrated in ... a furniture retailer and may **select objects**, such as ... a CGI (computer **gateway** information) script running on the ...

Cited by 6 - Related Articles - Web Search

[BOOK] Ambient Intelligence for Scientific Discovery: foundations, theories, and systems

Y Cai - 2005 - books.google.com

... participate by performing as a communications **gateway** to the ... outside software packages to a **format** that our ... represent a pointer for the user to **select objects**. ...

Related Articles - Web Search - Library Search

Goooooogle ►

Result Page: 1 2 3 4 5 6 **Next**

gateway "select objects" format mes

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



gateway "select objects" format message

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 11 - 20 of about 55 for gateway "select objects" format message. (0.13 secor

All Results[W Piekarski](#)[A Marcus](#)[Y Khalidi](#)[J Corrielus](#)[P Roewer](#)

[Rapid data access: Key to integrated use of environmental characterization and monitoring](#)
 ... - group of 4 »

T Canales, P Ottesen - 1995 - www-erd.llnl.gov

... Standard **format** tabular reports are produced for docu ... an application through the common **gateway** interface (CGI ... with the ability to **select objects** directly from a ...

[View as HTML](#) - [Web Search](#)

[Method and system for dynamically prefetching information via a server hierarchy](#) - group of 3 »

PK Malkin, PS Yu - US Patent 6,085,193, 2000 - Google Patents

... ROUTINE FORWARD PREFETCH REFERENCED **MESSAGE** FK3. 12 ... HTTP Daemon (HTTPD): A server

having Hypertext Transfer Protocol and Common **Gateway** Interface capabil -ity. ...

[Cited by 46](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for composing digital medical imagery](#) - group of 2 »

PH Roewer - US Patent 5,734,915, 1998 - Google Patents

... AUTO FILL AUTO PRINT SELECT PRINTER PRINT MONITOR PCW PRINT SETUP CURRENT PRINTER;

pe | g 3_ K LP COPIES: CURRENT **FORMAT** il @Auto Load FIG. 9E Conce! tHelp ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#)

[Establishing Co-operation in Federated Systems](#) - group of 2 »

M Beasley, J Cameron, G Girling, Y Hoffner, R ... - Systems Journal, 1994 - ansa.co.uk

... decoded from one on the wire **format** to ... other boundaries which require looking into the **message** ... **select objects** for interoperation by comparing the offers ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[GIAC Certified Firewall Analyst \(GCFW\) Practical Assignment version 1.9](#)

L Manalo - giac.org

... Enterprises sayings department sanitizes the submissions by checking for proper **format**, obscenities and ... will also act as a point-to-point VPN **gateway** for its ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Developing databases on and for ODL research](#) - group of 2 »

Z Zhiting - ouhk.edu.hk

... Information users have to **select objects** from a long list of ... same type of platform, database system, **format**, etc ... option is to create a **gateway** or information ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[AIDA project: an experimental environment, in accordance with OSI principles, to access value added ...](#)

D Long, M Ciardi, M Calabrese, T CSELT - Communications, 1991. ICC 91, Conference Record. IEEE ..., 1991 - ieeeexplore.ieee.org

... quest, sends, via Ethernet, a **message** containing the ... Unit, after having changed their **format**, to make it ... can provide the DGW (Directory **Gateway**) function; this ...

[Web Search](#)

[The Event Heap: a coordination infrastructure for interactive workspaces](#) - group of 7 »

B Johanson, A Fox - Mobile Computing Systems and Applications, 2002. Proceedings ..., 2002 -

ieeexplore.ieee.org

... 3.1 Event **Format** Description ... ProxiWare **Gateway** ... It responds to events that change the view, **select objects** and zones (eg building 3), and change the date for ...

[Cited by 95](#) - [Related Articles](#) - [Web Search](#)

[PatentView/EP1018085](#)

S Parent, S Changes, G Info - gauss.ffii.org

... Transfer Protocol and Common **Gateway** Interface capability ... The final PHI defines which **select objects** to prefetch ... the PICS protocol or a PICS compatible **format**. ...

[Cached](#) - [Web Search](#)

[Migration Blueprint SM for Unicenter Advanced Network Operations Ö - group of 2 »](#)

N Operations - esupport.ca.com

... 156 **message** ... **Gateway**.....

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

◀ Gooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

gateway "select objects" format mes

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



gateway "select objects" format message

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **21 - 30** of about **55** for **gateway "select objects" format message**. (0.12 secor

All Results[W Piekarski](#)[A Marcus](#)[Y Khalidi](#)[J Corrielus](#)[P Roewer](#)**AVI FORMAT**

RX Brooks - US Patent 7,114,174 - Google Patents

... image at 3 fps, in a custom **format**; and the ... **Gateway** computer 300 typically includes a monitor 310, a ... allow the users to graphically **select objects**, icons, 35 ...

[Related Articles](#) - [Web Search](#)
Federation Manifesto - group of 2 »

M Beasley, J Cameron, G Girling, Y Hoffner, R van ... - Documentt APM, 1993 - ansa.co.uk

... can be meaningfully exchanged (one particularly important variety of **messages** is those ... For example, a protocol **gateway** which bridges a protocol boundary may ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
XML presentation of general-purpose data sources - group of 2 »

AP Bata, CT Boyd - US Patent 6,901,403, 2005 - Google Patents

Page 1. United States Patent Bata et al. (54) XML PRESENTATION OF GENERAL- PURPOSE DATA SOURCES (75) Inventors: Anthony P. Bata, Superior ...

[Web Search](#)
Multidimensional browsing - group of 5 »

A Taivalsaari - Software Engineering Environments, Eighth Conference on, 1997 - ieeeexplore.ieee.org

... Navigator uses a graph- based representation **format** that is ... serves as a common access **gateway** to different kinds ... Also, it is possible to **select objects** from a ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)
A multimedia component kit: experiences with visual composition of applications

V de Mey, S Gibbs - Proceedings of the first ACM international conference on ..., 1993 - portal.acm.org

... The **message** protocol between the client and the server resembles the class interface for the media object, ie, methods map to server requests. ...

[Cited by 41](#) - [Related Articles](#) - [Web Search](#)
Object-oriented web server architecture suitable for various types of devices - group of 3 »

GG Mayo, JA Morgan, JA Reddy - US Patent 6,529,936, 2003 - Google Patents

... One prior solution uses a common **gateway** inter -face (CGI ... object-based communications via web **messages** at the ... a user of the browser 40 to **select objects** and URL ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)
MEDM Reference Manual - group of 8 »

K Evans Jr - Advanced Photon Source-Argonne National Laboratory. December, 1998 - epics.aps.anl.gov

... such as often happens with a PV **Gateway**, it may ... See the Text Entry and the Text **Format** attribute for ... You can now **select objects** that are under other objects ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
... data to servers having sufficient processing power to transcast streams of data in a desired format - group of 2 »

RK Brooks - US Patent 6,981,045, 2005 - Google Patents

... may be used include transcoding the data from a first **format** to the second **format**, and providing the one-hop **gateway** server with the data in the second **format**. ...

[Related Articles](#) - [Web Search](#)

[Copyright Notice - group of 71 »](#)

[FCC Statement - juniper.net](#)

[Page 1. & 21&\(376 \(;\\$03/\(6 * 8,'\(1HW6FUHHQ ,3\)XQGDPHQWDOV Version 3.0](#)

[P/N 093-1356-000 Rev. A Page 2. Copyright Notice Copyright ...](#)


[Related Articles - View as HTML - Web Search](#)

[\[doc\] UK ToolBook User Conference 93 Proceedings - group of 2 »](#)

[CLT PROTOTYPE - ilt.bris.ac.uk](#)

... logged the user into the NISS **gateway** service, it ... it is at least possible to **select objects** and copy ... The DDE (Dynamic Data Exchange) **message** passing protocol ...


[Related Articles - View as HTML - Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



... This reference information describes the **format** and content of the design data ... If the error **message** indicates that the path specified for the \$MGC_LOCATION_MAP ...

[Related Articles](#) - [Web Search](#)

[Roam: A Scalable Replication System for Mobile and Distributed Computing - group of 8 »](#)

DH Ratner - 1998 - sigcomm.org

... 46 5.2 Data and **message** ow for a data request and receipt 52 5.3 Data and **message** ow for a data request and receipt on a virtual replica

[Cited by 42](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

gateway "select objects" format mes

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



gateway "select objects" format message

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **41 - 50** of about **55** for **gateway "select objects" format message**. (0.10 sec)

All Results[W Piekarski](#)[A Marcus](#)[Y Khalidi](#)[J Corielus](#)[P Roewer](#)

[Mobile crew management system for distributing work order assignments to mobile field crew units - group of 3 »](#)

A Khalessi, SH Ardalan - US Patent 6,633,900, 2003 - Google Patents

... managed, various server machines containing data related to the work orders, a local area network (LAN) connecting the server machines, and a **gateway** to the TCP ...[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[ACCORD: A PROGRAMMING SYSTEM FOR AUTONOMIC SELF-MANAGING APPLICATIONS - group of 2 »](#)

HUA LIU - 2005 - caip.rutgers.edu

... 69 6.2. **Message** processing in a coordination agent. for example, dynamically **select objects'** internal algorithms based on their internal state ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Ten Student Teams Advance to CSIDC World Finals](#)

S MONTHS, OFI WORK - ieeexplore.ieee.org

Page 1. July 2002 87 COMPUTER SOCIETY CONNECTION T eams from Europe, the Mid- dle East, Asia, and North America vie for thousands ...

[Web Search](#)

[\[book\] Intelligent Miner for Data: Enhance Your Business Intelligence - group of 10 »](#)

J Reinschmidt... - 1999 - redbooks.ibm.com

Page 1. SG24-5422-00 International Technical Support Organization <http://www.redbooks.ibm.com>

Intelligent Miner for Data: Enhance Your Business Intelligence ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[Multiplayer Games in Mobile Terminals - group of 3 »](#)

M Hedlund, R Maxe - 2004 - epubl.ltu.se

Page 1. EXAMENSARBETE 2004:205 CIV Mattias Hedlund Robert Maxe Multiplayer Games in Mobile Terminals MASTER OF SCIENCE PROGRAMME ...

[Related Articles](#) - [Web Search](#)

[Getting Started with Data Warehouse and Business Intelligence - group of 10 »](#)

MS Almeida, M Ishikawa, J Reinschmidt, T Roeber - IBM, Aug, 1999 - 85.92.188.27

... All of this is possible if you have the right applications and tools to analyze data, and more importantly, if the data is prepared in a **format** suitable for ...[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A System Architecture for Context-Aware Mobile Computing - group of 11 »](#)

WN Schilit - 1995 - systems.cs.colorado.edu

... 81 5.6 Summary of Decentralized **Message** Exchanges ... programs should try to batch **messages** for transmission until a low cost network con- nection is made. ...[Cited by 161](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[\[doc\] Virtual Reality in Art, Design and the Performing Arts - group of 2 »](#)

C Beardon, L Birtles, R Beach, B Salem, C Beardon, ... - cs.waikato.ac.nz

... within VRML browsers has meant that work done using VRML **format** is much ... employing 'body-language' and gestures that complement any textual **message** (Earle and ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)


State of the Art Review on Hypermedia Issues And Applications - group of 9 »

V Balasubramanian... - Online at <http://eies.njit.edu/333/review/hyper.html> - dsi.unive.it
... 1.2 Advantages of Hypertext **Format** Enhancing encyclopedic information into hypertext
format has many advantages [Raymond & Tompa, 1988], [Cook, 1988]: ...
[Cited by 58](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Commercial Distributed Processing Using JavaSpaces™ - group of 2 »

J Fenton - dcs.shef.ac.uk

... **Message** Selection by Range ... Mr. Croft notes that it is possible to **select objects**
using an ... are a good replacement for CGI (Common **Gateway** Interface) programs ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

gateway "select objects" format mes

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



gateway "select objects" format message

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results **51 - 55** of **55** for gateway "select objects" format message. (0.08 seconds)
All Results[W Piekarski](#)[A Marcus](#)[Y Khalidi](#)[J Corielus](#)[P Roewer](#)[Faculty of Electrical Engineering Department of Computer Science and Engineering](#)

M Masa - 2006 - ciant.cz

... of the shared state, awareness of participants, late-joins, mutual exclusion, interest management, and general **format** of the data. ... 21 2.3.2 **Message** passing[View as HTML](#) - [Web Search](#)[\[PS\] Cooperative Authoring using Open Spatial Hypermedia](#)

A Committee - daimi.au.dk

... exchange by using the generic structure model as an interchange **format** between structure ... anyone who wants to browse thema World Wide Web **gateway** connected to ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)[PUBLIC HEALTH GIS NEWS AND INFORMATION September 2003 \(No. 54\) Dedicated to CDC/ATSDR Scientific ... - group of 6 »](#)


S Contents - PUBLIC HEALTH, 2003 - origin.cdc.gov

... When you **select objects** (such as states or counties) in one view, you will see the position of those objects light up on all other views of the data, instantly ...[View as HTML](#) - [Web Search](#)[Object Management Architecture Guide - group of 3 »](#)

T Edition, RM Soley, CM Stone, NYCBT Singapore - omg.org

... nology to the OMG. (Its contents are condensed in a glossary **format** in Appendix A.) ... computing environment a reality. It is the **gateway** through which ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)[11443 Lesson Plans. 1296 WebQuests! - group of 2 »](#)

M Worksheets - History, 1900 - edhelper.com

... STUDENTS **SELECT OBJECTS** THAT REFLECT THE ATTRIBUTE ... Ancient Egypt Your One-Stop **Gateway**to Ancient Egypt ... Art Activity Students use a comic-strip **format** to show ...[Related Articles](#) - [Cached](#) - [Web Search](#)Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#)

gateway "select objects" format mes

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google